

Ffenics Error Messages

These messages are displayed directly from Ffenics itself. They are displayed in a message box which has a caption indicating (where possible) the general area of the problem.

Note: A % indicates a placeholder for a parameter at Run Time.

General Captions

Label	Text	Parameters	Comments
IDS_ERR_MESSAGE_CAPT	Error Message - Ffenics		Default caption for Ffenics direct errors
IDS_ERR_PRISM_CAPT	Error Message - PRISM		Caption for PRISM Direct errors.
IDS_ERR_PRISM_API_CAPT	Error Message - DPE		Caption for PRISM API errors.
IDS_ERR_PRISM_SQL_CAPT	Error Message - SQLA		Caption for errors from generic SQL adaptor layer used for accessing external data stores.

Basic Limits

Label	Text	Parameters	Comments
IDS_MDICHILD_LIMIT	Form window limit reached. Please close a window.		
IDS_CLONE_ERROR	Too many objects to clone.		Essentially the same as 'out of memory'.
IDS_FORM_FULL	Form object limit reached.		Object limit is 32000 so should never realistically occur.
IDS_LOW_GDI	Low GDI Memory.		Windows resources - should never happen in 32bit Windows.
IDS_LOW_HEAP	Low HEAP Memory.		Windows resources - should never happen in 32bit Windows.
IDS_ERR_LOW_RESOURCES	Insufficient resources to %s. Quit one or more Windows	One of the three following: (view below)	Windows resources - should never happen in

Ffenics Error Messages

	applications and try again.		32bit Windows.
IDS_RESOURCE_GENERIC	... perform action.		
IDS_RESOURCE_OPENDOC	... open document.		
IDS_RESOURCE_OPENAPP	... open application.		
IDS_ERR_FILE_HANDLE_LIMIT_EXCEEDED	Too many open files, out of file handles.		No file handle limits in 32bit Windows, but Windows can still return 'no more files' - maybe out of network sockets, for example.

Ffenics Runtime Edition Errors

Label	Text	Parameters	Comments
IDS_FFRUN_NOSTARTUP	Runtime version requires that User '%s' have a specified Master Document to open application '%s'.	User name, application name	
IDS_FFRUN_OPEN_EXIT	Would you like to open another application before exiting?		
IDS_FFRUN_BAD_ACTION	The requested action '%s' is not available in this Runtime version.	Action ID	

Security Violations

Label	Text	Parameters	Comments
IDS_SECURITY_VIOLATION	Security Violation		
IDS_PASSWORD_INVALID	Incorrect Password		
IDS_USERNAME_INVALID	Invalid UserName/Password.		
IDS_TOO_LOW_TO_MODIFY	Your security level is too low to modify this document.		
IDS_INSUFFICIENT_ACCESS	Insufficient Access Privileges		
IDS_ERR_TABLE_ALREADY_OWNED	A Form defining this data store already exists. Choose <New Table>, type a different name, or create an Aspect		

Ffenics Error Messages

	instead.		
IDS_INSUFF_ACCESS_VIEW_ORG_LO	Insufficient security access to view original form layout. Field per line chosen as default.		

Login Problems

Label	Text	Parameters	Comments
IDS_LIB_NOT_FOUND	Cannot find resources in requested language. Using English as a default.		
IDS_LOGIN_FAIL_CAPTION	Login Failure: %s		
IDS_SERVER_DATABASE	Server => %s Database => %s		
IDS_ENTER_NAME_PASSWORD	Please enter new Name and Password.		

Document Errors

Creating:

Label	Text	Parameters	Comments
IDS_ERR_CREATE_NEWDOC	Unable to Create New Document.		

Loading:

Label	Text	Parameters	Comments
IDS_ERR_FORMLD_INVALID_CAPT	Error Loading Document		Document load error caption.
IDS_ERR_FORMLD_RECOVERY_CAPT	Document Recovery		
IDS_ERR_FORMLD_RECOVERY_TEXT	Attempting to recover Form %s.	Form Name	Applies to forms only.
IDS_ERR_FORMLD_INVALID_TEXT	%s is not a valid Document.	Document Name	
IDS_ERR_FORMLD_INVALID_VERS	%s is incompatible with this version of Ffenics.	Document Name	
IDS_ERR_FORMLD_OPENPROB_TEXT	Could not open %s.	Document Name	
IDS_ERR_FORMLD_USEPROB_TEXT	%s document does not use the specified Form	Document Name	
IDS_ERR_FORMLD_CORRUPT_TEXT	%s is corrupted.	Document Name	

Ffenics Error Messages

IDS_ERR_MESSAGE_OPEN_TABLE	Unable to open Form.		
IDS_ERR_MESSAGE_VERSION	This document file version is not supported.		
IDS_ERR_FILE_ACCESS_DENIED	Form %s is in use by another User.	Form Name	The data definition or data file is locked.
IDS_ERR_FILE_NOT_FOUND	Cannot find Document %s.	Document name	File missing from disk.

Names:

Label	Text	Parameters	Comments
IDS_ERR_FORM_CAPT	Invalid Document		Invalid document caption.
IDS_ERR_BLANK_DOC_NAME	A Document Name is Required.		
IDS_ERR_MESSAGE_SAME_TABLE	Please enter a unique Form name.		
IDS_ERR_MESSAGE_NAME_TABLE	A name is required for the new Form.		

Saving:

Label	Text	Parameters	Comments
IDS_ERR_FORMSV_INVALID_CAPT	Error Saving Document		Document save error caption.
IDS_ERR_FORMSV_SAVEPROB_TEXT	Unable to Save Document %s.	Document Name	
IDS_ERR_FORMSV_SAVEASNEW	Error %d Saving New Document %s.	DPE code, Document Name	
IDS_ERR_FORMSV_DUPLNAME	Document '%s' Already Exists.	Document Name	
IDS_ERR_FORMSV_NOCOLUMNS	You cannot save a Form with no Fields.		
IDS_SAVE_AS_MSG_1	This document is not a Form or Aspect. You cannot save it as a new Form.		
IDS_SAVE_AS_MSG_2	This Form has modifications to its data definition. You cannot save it as an Aspect.		

Ffenics Error Messages

Deleting:

Label	Text	Parameters	Comments
IDS_ERR_FILE_DELETE_CAPT	Delete Document		Delete document caption (not necessarily an error).
IDS_ERR_FILE_DELETE_TEXT	OK to delete "%s"?		Message, not an error.
IDS_ERR_FILE_DELETE_TABLE	This Form owns data. Are you sure you want to delete it and all its data?		Message, not an error.
IDS_ERR_FILE_DELETE	Unable to Delete File '%s'.	Document Name	
IDS_ERR_DELETE_RELS	You are deleting the Form. Do you also want to delete its Relationships?		Message, not an error.
IDS_ERR_TABLE_USED_BY_OTHER_DOC	This Form is used by other Documents. You must delete them first.		

Application Errors

Label	Text	Parameters	Comments
IDS_ERR_USTART_RESTORE	Error Restoring 'User Startup'.		
IDS_ERR_USTART_SAVE	Error %d Saving 'User Startup' data.		
IDS_ERR_APPLOBJ_SAVE	Error %d Saving 'Application Objects' data.	DPE code	Caption is "Error message - PRISM"
IDS_ERR_INVALID_RANGE	Error, value must be in range %d to %d.		
IDS_ERR_APP_CLOSE_CAPT	Close Application		
IDS_ERR_APP_CLOSE_TEXT	OK to close "%s"?		Message, not an error
IDS_ERR_APPL_DELETE_CAPT	Delete Application		
IDS_ERR_APPL_DELETE_TEXT	All Documents will be lost.OK to delete "%s"?	Application name	Message, not an error.
IDS_ERR_APPL_DELETE_INUSE	Cannot delete "%s" - in use by another user.	Document name	
IDS_ERR_WRITING_INI_FILE	Error writing		

Ffenics Error Messages

	application preferences file.		
IDS_INVALID_RDRR_FILE	NEW Ffenics Application Preferences file written out to disk with default settings.		

Field Definition Errors

Label	Text	Parameters	Comments
IDS_ERR_BLANK_FLDNAME	A Field Name is Required.		
IDS_ERR_INVALID_FLDLEN	Invalid Field Length		
IDS_ERR_NO_DERIV_ON_LOV	A 'Layout Only' Field must have a derivation		
IDS_ERR_NO_NAME_ON_LOV	A 'Layout Only' Field must be given a new field name		
IDS_ERR_STATTYPE_REQUIRED	You must select a valid Summary Type.		
IDS_CANT_SUPPORT_STAT	Unable to set Summary Information for this type of Field.		

Style Errors

Label	Text	Parameters	Comments
IDS_ERR_STYLE_UNABLE	Unable to Load Object Style.		
IDS_ERR_STYLE_DELETE	Cannot Delete Default Style.		
IDS_ERR_STYLE_CAPT	Error Loading Style Sheet		
IDS_ERR_STYLE_TEXT	Stylesheet "%s" in file %s - Code %d.		

PRISM Errors

Note: the majority of these messages are 'context' messages that enhance a PRISM API error message when the correct deDisplayPRISMError() function is called. Messages displayed in this way cannot have parameters in the 'context' part of the message. In other cases, the message is displayed by a normal Windows box, not always for an apparent reason!

Label	Text	Parameters	Comments
IDS_ERR_PRISM_INIT	Error Initializing Application. Please note PRISM information message and ensure program is installed and configured correctly.		
IDS_ERR_PRISM_CREATE_REPOS	Creating Application.		
IDS_ERR_PRISM_OPEN_REPOS	Opening Application.		
IDS_ERR_PRISM_OPEN_REPOS_MU	Opening Application. Application may be locked by another user.		
IDS_ERR_PRISM_OPEN_REPOS_SU	Opening Application. Single user application may be in use by another user.		
IDS_ERR_PRISM_CLOSE_REPOS	Closing Application.		
IDS_ERR_PRISM_CREATE_TABLE	Creating Form.		
IDS_ERR_PRISM_SAVE_TABLE	Saving Form.		
IDS_ERR_PRISM_GET_TABLELOC	Getting Form Information.		
IDS_ERR_PRISM_SET_TABLELOC	Setting Form Location.		
IDS_ERR_PRISM_GET_TABLE	Getting Form Information.		
IDS_ERR_PRISM_XFER_DATA	Transferring Data.		
IDS_ERR_PRISM_IMPORT_DATA	Attempting to import data.		
IDS_ERR_PRISM_GET_HCOL	Getting Column Information.		
IDS_ERR_PRISM_GET_COLINFO	Getting Column Information.		
IDS_ERR_PRISM_ADD_COL	Adding Column To Form.		
IDS_ERR_PRISM_MOD_COL	Modifying Column.		
IDS_ERR_PRISM_DEL_COL	Deleting Column.		
IDS_ERR_PRISM_SET_COL_DERIV	Setting Derivation Formula.		
IDS_ERR_PRISM_SET_COL_RULE	Setting Range Check.		
IDS_ERR_PRISM_SET_COL_FMT	Setting Column Format.		
IDS_ERR_PRISM_SET_COL_HELP	Setting Column Help.		
IDS_ERR_PRISM_GET_COL_CHOICES	No items in Choice		

Ffenics Error Messages

	List.		
IDS_ERR_PRISM_SET_COL_CHOICES	Setting Column Choice List.		
IDS_ERR_PRISM_GET_COL_LIST	Getting Column List.		
IDS_ERR_PRISM_VAR_BUFF	Allocating Variable Length Buffer.		
IDS_ERR_PRISM_CREATE_MV	Error Creating Document.		
IDS_ERR_PRISM_SAVING_MV	Saving Document Definition.		
IDS_ERR_PRISM_SET_MV	Restoring Document Definition.		
IDS_ERR_PRISM_START_MV	Initializing Document for Data Access.		
IDS_ERR_PRISM_END_MV	Ending Data Access Mode.		
IDS_ERR_PRISM_DESTROY_MV	Closing Document.		
IDS_ERR_PRISM_SET_MVNAME	Setting Document Name.		
IDS_ERR_PRISM_ADD_TVIEW	Adding Form.		
IDS_ERR_PRISM_DEL_TVIEW	Deleting Form.		
IDS_ERR_PRISM_ADD_GRPVIEW	Adding Group.		
IDS_ERR_PRISM_GET_TVSEL	Getting Selection Filter.		
IDS_ERR_PRISM_SET_TVSEL	Setting Selection Filter.		
IDS_ERR_PRISM_SET_ROW	Getting Record.		
IDS_ERR_PRISM_DEL_ROW	Deleting Current Record.		
IDS_ERR_PRISM_SAVING	Saving Current Changes.		
IDS_ERR_PRISM_GET_FLD_LIST	Getting Field List.		
IDS_ERR_PRISM_PROJECT_FLD	Adding Field.		
IDS_ERR_PRISM_UNPROJECT_FLD	Error %d Unprojecting Field '%s'.		This message is malformed and the parameters won't work.
IDS_ERR_PRISM_GET_FLDEXPR	Getting Field Information.		
IDS_ERR_PRISM_UNDO_ROW	Restoring Record.		
IDS_ERR_PRISM_SET_PROJATTR	Setting Field Summary Type.		
IDS_ERR_PRISM_REORG_TDF	Reorganizing Form.		
IDS_ERR_PRISM_GET_TDF_LIST	Getting Form List.		
IDS_ERR_PRISM_GET_STATS	Getting Statistical Field Data.		
IDS_ERR_PRISM_GET_DATA	Getting Field Data.		
IDS_ERR_PRISM_GET_ROWCOUNT	Getting Record Count.		
IDS_ERR_PRISM_SET_FLDTRIGGER	Setting Field Trigger.		
IDS_ERR_PRISM_SET_TVTRIGGER	Setting Form Trigger.		

Ffenics Error Messages

IDS_ERR_PRISM_CREATE_APPOBJ	Creating Application Objects Form.		
IDS_ERR_PRISM_RI_NO_KEYCHG	Referential Integrity Violation. Subform selection criteria may prevent changes to all related records.		

Some Miscellaneous Errors

Label	Text	Parameters	Comments
IDS_ERR_UNKNOWN_FIELD	Unknown Field '%s' in Form '%s'.	Field name, Form name	
IDS_ERR_CONSTRUCTOR_FAILURE	Could not construct instance of %s object.		
IDS_DOC_MODIFIED	Document '%s' has been changed by another user. Please save this Document under a new name.		Document name
IDS_ERR_DOCFILE_RENAMED	Unable to Update Document File %s. All changes written to File %s.	Document name, File name	
IDS_ERR_WRITEFILE	Unknown Disk Error writing file %s.	OS File name	

Error Log File Notification

Label	Text	Parameters	Comments
IDS_ERRS_HAVE_OCCURRED	Errors have occurred.		
IDS_ERRS_LOGGED_TO_DISK	%ld error message(s) have been logged to file: %s. View these messages now? Press 'Cancel' to delete the log file.	No. of messages, filename	

Open Related Error

Label	Text	Parameters	Comments
IDS_ERR_OPENRELATED_CAPT	Open Related Document		Caption

Ffenics Error Messages

IDS_ERR_NORELATION	You must choose a relationship.		
--------------------	---------------------------------	--	--

Tab Order Definition Error

Label	Text	Parameters	Comments
IDS_ERR_TAB_CAPT	Custom Tab Order		Caption
IDS_ERR_TAB_TEXT	No objects in this document can accept Run Time TAB focus.		

Filter Errors

Label	Text	Parameters	Comments
IDS_ERR_FILTER_CAPT	Data Filter Syntax Error		
IDS_ERR_FILTER_TEXT	%s Above filter invalid for field %s.%s.	Filter, field, explanation	
IDS_ERR_FILTER_ALPHA	Such Text fields need " on strings with operators.		
IDS_ERR_FILTER_IN_GROUP	Selection criteria cannot be set within groups. Try setting criteria in this group's parent.		

System Form 'Special List Box' Errors

Label	Text	Parameters	Comments
IDS_ERR_NO_ASPECTS_DEFINED	There are no Aspects defined over this Form		Relationship Definition
IDS_ERR_NOT_A_FORM_DOCUMENT	There are no Fields defined by this Document. Relationships must be between Form Documents.		Relationship Definition
IDS_ERR_NO_FORMS_DEFINED	No Form Documents have been defined yet. Relationships can only be between Form Documents.		Relationship Definition
IDS_ERR_NO_DOCUMENTS_DEFINED	No Documents have been defined yet		User Definition
IDS_ERR_NO_USER_TYPES_DEFINED	There are no		User Definition

Ffenics Error Messages

	User Types defined yet You may enter a new one.		
IDS_WARN_SYSFORM_CAPT	Warning - No items to list.		General system form listbox error

Data Error

Label	Text	Parameters	Comments
IDS_ERR_DATA_CAPT	Ffenics Error		
IDS_ERR_DATA_TEXT	%.150s\n\r\n\rThis data value is invalid for field %s.		

Print Errors

Note: Most print errors occur regardless of the destination of the output, since the output relies on the Windows printer definition to establish its format.

Label	Text	Parameters	Comments
IDS_PRINT_ERROR	Print Error		
IDS_ERR_PRNT_SETUP_TEXT	Print Setup Error		
IDS_ERR_PRINT_ABORT	Print job was aborted		
IDS_ERR_PRINT_HDC	Printer failed to create Device Context		
IDS_ERR_PRINT_STARTDOC	Could not start Print Document		
IDS_ERR_PRINT_INIT	Printer could not be initialised		
IDS_ERR_PRINT_PAGES	Specified number of pages exceeded		
IDS_ERR_PRNT_LOADDRVFAIL	Could not load driver %s.DRV	Printer driver file name.	
IDS_ERR_PRNT_PRINTERNOTFOUND	Could not find printer: %s	Windows printer name	
IDS_ERR_PRNT_SETUPFRAME	Print Setup Error		
IDS_ERR_PRNT_OK_TO_OVERWRITE	File already exists. Do you want to overwrite the file?		
IDS_ERR_PRINT_FILENAME	A filename is required for the Convert option		
IDS_ERR_PAGE_SIZE_TEXT	Selected page size does not		

Ffenics Error Messages

	match device page size. Continue Printing?		
IDS_ERR_PAGE_WIDTH_TEXT	Sum of the left and right margins is greater than the page width.		
IDS_ERR_PAGE_HT_TEXT	Sum of the top and bottom margins is greater than the page length.		
IDS_ERR_PAGE_MARGINS	Page margins are smaller than those supported by the current printer. Use minimum printer margins?		
IDS_ERR_PAGE_MARGINS_Q	Page margins are smaller than those supported by the current printer. The margins can be adjusted in the Print Options Dialog for this document. Continue Printing?		
IDS_ERR_PAGE_SIZE_EXCEEDED	Physical page size exceeded, please check header, footer or margins.		
IDS_NO_LABELS_FILE	(File 'labels.dat' not found.)		Trying to print labels but no label definitions found.
IDS_PRINT_JOB_FAILED	The Print Job failed to complete		
IDS_EXPORT_FAILED	The Export failed to complete		DQL 'export' (which is actually a form of 'print to disk')
IDS_PRINT_START_ERROR	Unable to print a record that		

Ffenics Error Messages

	has been deleted.		
--	-------------------	--	--

Print to Window Errors

Label	Text	Parameters	Comments
IDS_ERR_REPORT_CAPT	Ffenics Report Error		Print to window error caption
IDS_ERR_DSPRPT_READ	Could not read report from disk.		
IDS_ERR_DSPRPT_TMPFILE	Could not create temporary report file. Ending report.		
IDS_WARN_DISK_BUFFER_LIMIT	The Report may require more disk space than is available. Continue?		
IDS_WARN_DISK_FULL	The Report may require more disk space than is available. Continue?		

Run Time Script Executing Errors

Label	Text	Parameters	Comments
IDS_OCL_SCRIPT_EXECUTING	Cannot close %s because it is still running a script.	Document name	
IDS_DQL_SCRIPT_EXECUTING	Cannot close %s because it is still running.	Document name	

Paste and Undo Errors

Label	Text	Parameters	Comments
IDS_ERR_OBJ_PASTE	Unable to Paste Object.		
IDS_ERR_OBJ_UNDO	Unable to Undo Object.		

Design Time Script and Data Definition Errors

Label	Text	Parameters	Comments
IDS_TABLE_NOT_SAVED	Your modifications require changes to the data definition. Please save your Form before switching to Run mode.		

Ffenics Error Messages

IDS_TABLE_NOCOLUMNS	Unable to enter Run Time with a Form that has no fields.		
IDS_ERR_CANT_CLOSE_PROC	You cannot close a Procedure from here if it has changes. You should go View->Scripts to the Script Editor, and select [Procedure] in the Object List before exiting.		
IDS_ERR_CANT_CLOSE_PROC_HDR	Procedure: Must close from Script Editor		
IDS_ERR_CANT_SAVE_PROC	You cannot save a Procedure from here if it has changes. You should go View->Scripts to the Script Editor, and select [Procedure] in the Object List before saving.		
IDS_ERR_CANT_SAVE_PROC_HDR	Procedure: Must save from Script Editor		
IDS_ERR_NOT_IN_PROC	Please select [Procedure] in the Object List before saving or exiting.		
IDS_ERR_NOT_IN_PROC_HDR	Procedure: Must be in [Procedure] Object		
IDS_ERR_UNCOMPILED_SCRIPT	You cannot save a Document with uncompiled scripts.		
IDS_ERR_UNCOMPILED_SCRIPT_HDR	Document: Save Error.		
IDS_ERR_UNCOMPILED_COPYCUT_HDR	Document: Copy / Cut		

Ffenics Error Messages

	Error.		
IDS_ERR_UNCOMPILED_COPYCUT	You cannot copy or cut in a Document with uncompiled scripts.		
IDS_ERR_RENAME_OBJ_HDR	Document: Rename Object Error.		
IDS_RENAME_OBJ_HINT_HDR	Document: Rename Object Recompile Reminder		
IDS_RENAME_OBJ_HINT	If you rename an Object that has scripts they must be recompiled. The next message will let you cancel the rename. Press YES to see these messages in future, No to not see the messages during this session, rCANCEL to NEVER see these messages again		
IDS_RENAME_OBJ_CONTINUE	Do you want to continue? If you do the scripts on this object will stop working. They will not be lost and you may recompile them at any time. They will not be lost even if you exit the document.		
IDS_ERR_RENAME_OBJ_THIS_EDIT	You cannot rename an Object while its scripts are currently being edited.		

Ffenics Error Messages

IDS_ERR_UNCOMPILED_RENAME	You cannot rename an Object with scripts while there is an uncompiled script in the Editor.		
IDS_ERR_FIELD_DEFN_THIS_EDIT	You cannot edit a Field's definition while also editing its scripts.		
IDS_ERR_FIELD_DEFN_HDR	Document: Field Definition Error.		
IDS_TYPE_CHANGE_WARN	If you change a field's Object type you will LOSE all scripts on the old Object.\n\rIf you wish to preserve them then copy them to the clipboard or Notepad first.\n\rDo you wish to continue?		

Clustering Errors

Label	Text	Parameters	Comments
IDS_DROP_CLUSTER_FIELD	The field <%s> is used for Clustering Records in this Form. The Cluster Order will change if you proceed. Do you wish to continue this deletion?	Field Name	
IDS_SEQID_ON_CLUSTER_FDIALOG	The data in this Form is clustered. Record Clustering will be disabled for Forms with Sequenced ID Fields.		
IDS_SEQID_ON_CLUSTER_SAVE	The data in this Form is	Field name	

Ffenics Error Messages

	clustered. The field <%s> is a Sequenced ID. If you proceed, Record Clustering will be disabled for this Form. Do you wish to continue?		
IDS_SEQID_ON_DOCUMENT	Clustering Records is not allowed on Forms having Sequenced ID fields.		
IDS_CLUSTER_ERROR_CAPT	Ffenics Clustering Error		
IDS_DOCPERF_ERR_CLUSTER_TBL	Ffenics could not properly set clustering information for %s.	Document name	
IDS_DOCUMENT_ON_REMOTE_TBL	Clustering Records is not allowed on Documents over external tables.		
IDS_CLUSTER_SAVE	The data in this Form is clustered. If you continue, your data will be reclustered. Do you wish to continue?		
IDS_WARNING_CLUSTER_TITLE	Performance Change Warning		
IDS_WARNING_CLUSTER_RESULTS	The physical order of records in the data file will be changed permanently the next time the form is reorganized.		
IDS_WARNING_VIRT_CLUSTERCOL	Data clustering information for this field will be lost if you define it as virtual.		

Ffenics Error Messages

FastText Index Errors

Label	Text	Parameters	Comments
IDS_WARNING_MIN_IDXCOMP_LEN	The minimum field length required to create a Fast Text Index is %d. The index for this field will not be a Fast Text Index.	Field length	
IDS_WARNING_AUTO_IDXCOMP_LEN	Field length exceeds required Fast Text Index recommendation of %d. The index for this field will be a Fast Text Index.	Field length	

Design Time Locks

Note: Design Time locks are performed by Ffenics, not by PRISM.

Label	Text	Parameters	Comments
IDS_DT_LOCK_CAPTION	Design Time lock conflict		
IDS_DT_LOCK_DOC_IN_USE	Another user is modifying %s. Design mode not available.		
IDS_DT_LOCK_DOC_STOLEN	The Design Time lock on Document %s cannot be restored after save. \nSomeone else may be trying to edit it, or a fatal error has occurred while saving. \nAbandon changes and exit this Document (you may need to exit Ffenics).		

QBM (Query by Model) Errors

Label	Text	Parameters	Comments
IDS_QBO_TDF_MODIFIED	Your changes have modified the data definition. Please save this Document before entering Query Data Model.		
IDS_QBO_MV_MODIFIED	Your modifications		

Ffenics Error Messages

	require a Document Re-Layout. If you choose not to Re-Layout, All changes will be MERGED as well as possible.Do you wish to Re-Layout?		
IDS_QBO_DEL_ROOT_TVVIEW	Cannot Remove Primary Form.		
IDS_QBO_ROOT_TVSEL_SET	You may not set individual Field Selection once Form Selection has been applied.		
IDS_QBO_MULTI_FIELDS	Multiple Fields		
IDS_QBO_NO_COLUMNS	No Fields Defined on this Form		

Database Link Errors

Label	Text	Parameters	Comments
IDS_DBC_ERROR_CAPT	Database Link Error		Caption
IDS_DBC_RENAMELINK_INVLINK	You must select a valid database link.		
IDS_DBC_RENAMELINK_INVNEW	Please enter a valid name for the new link.		
IDS_DBC_RENAMELINK_FINDOLD	Database Link information not found.		
IDS_DBC_RENAMELINK_MODOLD	Unable to Rename Database Link.		
IDS_DBC_ADDLINK_INVNAME	Please enter a valid Database link name.		
IDS_DBC_ADDLINK_DUPNAME	Database link already exists.		
IDS_DBC_ADDLINK_ERR_TABLIST	Error building table list.		
IDS_DBC_ADDLINK_ERR_DELLINK	Error deleting Database link.		
IDS_DBC_DELETELINK_DELOLD	Couldn't delete Database Link information from the catalog.		
IDS_DBC_DELETELINK_FINDOLD	Couldn't find Database Link information in the catalog.		
IDS_DBC_DELETELINK_INVLINK	You must select		

Ffenics Error Messages

	a valid database link.		
IDS_DBC_DELETETABLE_FAILED	Failed to delete table definition of "%s".	Table name	This is the local data definition which is mapped to the foreign table.
IDS_DBC_REFRESHTABLE_FAILED	Failed to refresh table definition of "%s".	Table name	This is the local data definition which is mapped to the foreign table.
IDS_DBC_ADDLINK_NOENGINE	You must select a valid engine type in order to add a Database Link.		
IDS_DBC_DELETELINK_WARN	You will be unable to open any Documents that use this Database Link once it has been deleted. Do you wish to Continue?		Message, not an error.
IDS_DBC_ADDLINK_NONETPATH	You must enter a network path to log into Paradox.		

Import Errors

Label	Text	Parameters	Comments
IDS_ERR_IMPORT_CAPTION	Import Error		
IDS_ERR_IMPORT_DELIMS	The Field and Record Separators must be different.		
IDS_ERR_IMPORT_DEST_TABLE	The destination Form in this import is not valid: "%s"		
IDS_ERR_IMPORT_SOURCE_FILE	Invalid source filename		
IDS_ERR_IMPORT_BAD_OPTIONS	One or more options are invalid and have been corrected		
IDS_ERR_IMPORT_BAD_MATCH	This destination Form has no unique fields.\r\nMatching has been set to Add all records (Fast Import).		

Ffenics Error Messages

“More Info” Errors

Label	Text	Parameters	Comments
IDS_APPSTAT_ERR	Error while processing Application Info		
IDS_APPSTAT_ERR_MVIEW	Error accessing an Application Info MultiView.		
IDS_APPSTAT_ERR_RECINFO	Error while generating Records Info		
IDS_APPSTAT_ERR_SERVINFO	Error while generating Server Info		
IDS_APPSTAT_ERR_DOCINFO	Error while generating Document Info		
IDS_APPSTAT_ERR_IMPINFO	Error while generating Import Info		
IDS_APPSTAT_ERR_APPOBJ	Error while accessing the Application Objects file.		
IDS_APPSTAT_ERR_RDRR	Error while accessing the RDRR file.		
IDS_APPSTAT_ERR_SUPER	Error while accessing a Application Info superstring.		
IDS_APPSTAT_ERR_TBLDEF	Error while accessing an Application Info Form.		
IDS_APPSTAT_ERR_TABLEINFO	Error while generating Data Definition Info		
IDS_APPSTAT_ERR_OPEN	Could not gather information for document %s	Document name	
IDS_APPSTAT_ERR_DQLINFO	Error while generating Procedure Query script Info		
IDS_APPSTAT_ERR_OMLINFO	Error while generating Object script Info		
IDS_APPSTAT_ERR_OBJINFO	Error while generating Object Info		
IDS_APPSTAT_ERR_BRLINFO	Error while generating Derivation Info		

Ffenics Error Messages

IDS_APPSTAT_ERR_RNGINFO	Error while generating Range Check Info		
IDS_APPSTAT_ERR_REFRESHINFO	Error while refreshing all application info		
IDS_APPSTAT_ERR_DELETEINFO	Error while deleting all information		
IDS_APPSTAT_ERR_ACTINFO	Error while generating Action Info		

Action Errors

Note: Actions are the same thing as menu items, so these errors may show when you pick a menu option too.

Label	Text	Parameters	Comments
IDS_ACTION_NOSUPPORT_CAPT	Ffenics Actions		Caption
IDS_ACTION_NOSUPPORT_TEXT	The selected object does not support Actions.		
IDS_ACTIONS_HDRFTR	Actions are not allowed in a document header or footer.		
IDS_SS_NOT_IN_RC	ACTION: SS NOT in RC		The description string for this action does not exist in deres.dll
IDS_ACTION_ERROR	Action Error		Caption
IDS_ATTEMPT_EXECUTE_POPUP	Attempting to execute Popup or Separator actions		Since menus are built of Actions, there have to be actions that draw the separator lines or pop up a sub menu - these cannot be executed.

Execute Program Error

Label	Text	Parameters	Comments
IDS_ERR_EXEC_CAPT	Execute Program		Caption
IDS_ERR_EXEC_TEXT	Error Executing File: %s		

Ffenics Error Messages

Expression Error

Label	Text	Parameters	Comments
IDS_CAPT_EXPR_ERROR	Expression Error		Caption
IDS_TEXT_EXPR_ERROR	Error Executing Expression: %s.	The expression.	

“Can’t close application if open document”

Label	Text	Parameters	Comments
IDS_ERR_CLOSE_APP_CAPT	Error closing Application		
IDS_ERR_CLOSE_APP_TEXT	Can't close Application with open Documents		
IDS_ERR_CLOSE_MISMATCH	Mismatch between physical MDI docs: %d and MDI array: %d	Docs physically open, docs listed in MDI array	Debug only.

RunTime CUT/COPY/PASTE Errors

Label	Text	Parameters	Comments
IDS_ERR_DATA_PASTE	Unable to Paste Data - Object Type does not match.		
IDS_ERR_PASTE_RECORD_CHANGED	Pasting record in another Form. May result in data conversion errors.		
IDS_ERR_DATA_RANGE	Invalid Record Range.		
IDS_ERR_PASTE_CAPTION	Paste Error		
IDS_MSG_MAX_COPY_BUFFER_SIZE	Copy Buffer Size exceeded, Try Copying %ld Records at a time.	Number of records	Should now never occur as max buffer size is 4gB.
IDS_ERR_COPY_CAPTION	Copy Error		
IDS_MSG_MAX_PASTE_BUFFER_SIZE	Paste Buffer Size exceeded.		Return 'out of memory' instead.
IDS_ERR_COPY_GET_FIELD_DATA	Error Copying Data for field %s.	Field name	
IDS_ERR_PASTE_SET_FIELD_DATA	Error Pasting Data in field %s.	Field name	
IDS_ERR_PASTE_INSERT_RECORD	Error Inserting Record %ld.	Record number	

Ffenics Error Messages

IDS_ERR_COPY_RECORD	Error Copying Record %ld.	Record number	
IDS_ERR_COPY_NO_FIELDS_SELECTED	No Fields to Copy.		
IDS_ERR_NO_MATCHING_FIELDS	Paste Error - No Matching fields in this form.		

Export Errors

Note: Ffenics export action, not the PRISM DQL export.

Label	Text	Parameters	Comments
IDS_ERR_EXPORT_CAPTION	Export Error		
IDS_ERR_EXPORT_OVERWRITE	%s This file already exists. Replace existing file?	File Name	
IDS_ERR_EXPORT_NO_FIELDS	No Fields to Export.		
IDS_ERR_EXPORT_DELIMS	The same separator is specified for both Fields and Records. Is this OK?		
IDS_MSG_EXPORT_ERROR	Error on Record %ld (%ld %% complete)	Record number, percent of file processed	
IDS_MSG_IMPEXP_SEP_REQUIRED	A Data Separator is required.		

Image Error

Label	Text	Parameters	Comments
IDS_IMAGE_OPEN_ERROR	Image Loading Error		Caption
IDS_IMAGE_FILE_ERROR	Could not find file "%s",\nplease specify image path.	Image file name	

Report or Procedure Close Errors

Label	Text	Parameters	Comments
IDS_CANCEL_PRINT_MSG	Cancel Report Before Closing Document: %s	Document name	Should no longer appear as exc is now forced.
IDS_CANCEL_RPT_MSG	Press Esc from Report to Close Document: %s	Document name	Should no longer appear as exc is now forced.

Ffenics Error Messages

Backup/Restore Errors

Label	Text	Parameters	Comments
IDS_BKREST_ERR	Error		Caption
IDS_BKREST_ERR_CANT_CREATE_LOG	Can't create Log file.		
IDS_BKREST_ERR_CANT_LOCK_REPOSITORY	Unable to lock repository, ensure that you are the exclusive user of the application.		
IDS_BKREST_ERR_FATAL	Fatal Error		
IDS_BKREST_INCORRECT_VERSION	This backup is not from this version of Ffenics. Restore terminated.		
IDS_BKREST_INCORRECT_DIR	Cannot backup to application directory. Backup terminated.		
IDS_BKREST_ENCRYPTED_APP	Cannot restore this application because it has been encrypted by Developer.		

Install and Batch Install Errors

Label	Text	Parameters	Comments
IDS_INSTALL_ERROR	Install Error		General install error caption
IDS_INSTALL_FRM_NOT_EXIST	Document file not found or does not exist or is not specified.		
IDS_INSTALL_TDF_NOT_EXIST	Document is a Form and TDF file does not exist or is not		

Ffenics Error Messages

	specified.		
IDS_INSTALL_DBM_NOT_EXIST	Data file does not exist or is not specified.		
IDS_INSTALL_DIW_NOT_EXIST	Script file does not exist or is not specified.		
IDS_INSTALL_LOG_NOT_EXIST	Can't create log file.		
IDS_INSTALL_ERR_NO_INSTALL_INFO	Syntax error.		Batch install syntax error caption.
IDS_INSTALL_ERR_INSTALL_DATA	INSTALL DATA: is currently unsupported .		
IDS_INSTALL_ERR_INSTALL_NO_FROM	No FROM: file specified for INSTALL.		
IDS_INSTALL_ERR_INSTALL_NO_TABLE	No TABLE: file specified for INSTALL.		
IDS_INSTALL_ERR_INSTALL_NO_DATA	No DATA: file specified for INSTALL.		
IDS_INSTALL_ERR_INSTALL_NO_FROM_DATA	FROM: must follow document name.		
IDS_INSTALL_ERR_INSTALL_NO_TDF	FRM file has no TDF file specified.		
IDS_INSTALL_ERR_NO_REPLACE_INFO	No information following REPLACE.		
IDS_INSTALL_ERR_REPLACE_DATA	REPLACE error: table or document does not exist.		
IDS_INSTALL_ERR_REPLACE_NO_FROM	No FROM: file specified for REPLACE.		

Ffenics Error Messages

IDS_INSTALL_ERR_REPLACE_NO_FOLLOW	FROM: must follow REPLACE.		
IDS_INSTALL_ERR_IMPORT	IMPORT installation error.		
IDS_INSTALL_ERR_RUN_IMPORT	IMPORT execution error.		
IDS_INSTALL_ERR_IMP_SYN	IMPORT syntax error.		
IDS_INSTALL_ERR_MUST_START	Line must start with INSTALL, REPLACE or IMPORT.		
IDS_INSTALL_ERR_INSTALL_APP_OBJ	Unable to add to application objects table		
IDS_INSTALL_ERR_REPLACE_NO_SRC	Source file %s not found, can't replace.	File Name	
IDS_INSTALL_ERR_REPLACE_NO_DST	Destination file %s not found, can't replace.	File Name	
IDS_INSTALL_ERR_REPLACE_DOCNAMES	Document names are different, can't replace.		
IDS_INSTALL_ERR_REPLACE_DOCTYPES	Document types are different, can't replace.		
IDS_INSTALL_ERR_REPLACE_OWNER	Document table ownerships are different, can't replace.		
IDS_INSTALL_ERR_REPLACE_TABNAMES	Document already exists.		
IDS_INSTALL_ERR_REPLACE_COPY	File copy failed, can't replace.		
IDS_INSTALL_ERR_IMPORT_DEF	Import Definition file not found.		

Ffenics Error Messages

IDS_INSTALL_ERR_INSTALL_DUP_IMP	Attempt to install duplicate import definition		
IDS_INSTALL_ERR_REPLACE_DEL_TBL	Error deleting Form to be replaced.		
IDS_INSTALL_ERR_REPLACE_CONFLICT	Name conflict creating temp table, can't replace.		
IDS_INSTALL_ERR_REPLACE_TMP_CPY	Couldn't transfer data - saved in temp tqble.		
IDS_INSTALL_ERR_REPLACE_DEL_TMP	Error deleting temporary table		
IDS_OPEN_DOCS_WARN	Ffenics will close any open documents upon the completion of Install. Do you want to continue?		

Notepad Error

Label	Text	Parameters	Comments
IDS_NOTEPAD_ERR		Cannot load NOTEPAD.EXE. Error number %s .	0=out of memory, 2 or 3=notepad.exe not found, 11=notepad.exe is corrupt.

DDE Errors

Label	Text	Parameters	Comments
IDS_DDE_CAPTION	Ffenics DDE		
IDS_DDE_MSG_REMOTE_LINK_EXISTS	Close Remote Links		
IDS_DDE_MSG_INVALID_LINK_FORMAT	Invalid DDE Link Format.		
IDS_DDE_MSG_CANNOT_RELINK	Unable to establish DDE link.		
IDS_DDE_MSG_LIMITED_ITEM	Exceeded	Number of	

Ffenics Error Messages

	Client Application limit for DDE Item Name, Only %d fields are linked.	linked fields	
IDS_DDE_MSG_BUFFER_LIMIT	64K Buffer Limit exceeded, %ld, records copied.	No of records actually copied	Buffer limit now 4gB, so should never be displayed
IDS_DDE_ERR_COPY_LINK	Field not found. No Link Format copied.		
IDS_PRINT_START_ERROR	Unable to print a record that has been deleted.		

Clipboard Error

Label	Text	Parameters	Comments
IDS_CLIPBOARD_ERROR	Unable to paste clipboard object.		

Design Time Cut and Paste Errors

Label	Text	Parameters	Comments
IDS_INVALID_PASTE_OBJECT	%s objects can not be pasted in a Page Header or Footer.	Object class	
IDS_INVALID_PASTE_TO_FORM	%s objects can not be pasted into a Form Object.	Object class	
IDS_ERR_STAT_FIELD	Unable to Paste Statistic field.		
IDS_ERR_VERSION_MISMATCH	Unable to Paste - Object version is different.		

Script Editor Errors

Label	Text	Parameters	Comments
IDS_ERR_QUERY_NOT_FOUND	No query script found in %s. May be Quick Report.	DBR File name	Trying to load DQL from old DFD report, but no actual, DQL could be identified - it might be a DFD quick report which doesn't have a DQL

Ffenics Error Messages

IDS_SCR_UNCOMPILED	The Data Query in Procedure "%s" must be checked before it can be run. Do you want to check it now?	Procedure name	
IDS_SCR_UNCOMPILED_QUIT	The Procedure "%s" cannot be run because its Data Query has not been checked.	Procedure name	
IDS_SCR_ELF_HELP	"%s" is an External Function. No Ffenics Help available. Refer to the Externally Loaded Function (ELF) Definitions form for syntax.	ELF Name	
IDS_ERR_COMPILE_EVENT	Checking Event Script.		
IDS_COMPILE_ROOT	If you continue the Data Query Scheduler will be added to the layout. This may cause you to lose your current layout. Press OK to continue or Cancel to abort.		No longer displayed
IDS_ERR_PICKLIST_COMMANDS	List of PSL Commands were improperly loaded.		
IDS_ERR_PICKLIST_FUNCTIONS	List of PSL Functions were improperly loaded.		
IDS_ERR_PICKLIST_OPERATORS	List of PSL Operators were improperly loaded.		

Ffenics Error Messages

Custom Menu Errors

Label	Text	Parameters	Comments
IDS_MNUEDT_ERR_MENU_INVALID	Menu Invalid		Caption
IDS_MNUEDT_ERR_WRONG_LEVEL	This item is at the wrong level		
IDS_MNUEDT_ERR_MUST_BE_MENU	This item must be a menu to have subitems		
IDS_MNUEDT_ERR_ALT_KEY_DEFINED	This ALT key is already assigned at this level		
IDS_MNUEDT_ERR_ACCEL_DEFINED	This accelerator key is already assigned		
IDS_MNUEDT_ERR_REQ_PARAMTER	This Action requires a parameter		

Object Load Errors

Label	Text	Parameters	Comments
IDS_DOC_LOAD_ERROR	Document Loading Error		Caption
IDS_DE_EOBJECT_VERSION	Unable to load - DE_EOBJECT Object version is different.		
IDS_DE_FIELD_TEMPLATE_VERSION	Unable to load - DE_FIELD Object version is different.		
IDS_DE_FORM_TEMPLATE_VERSION	Unable to load - DE_FORM Object version is different.		
IDS_DE_VOBJECT_VERSION	Unable to load - DE_VOBJECT Object version is different.		
IDS_DE_TEMPLATE_VERSION	Unable to load - DE_TEMPLATE Object version is different.		
IDS_DE_LABEL_TEMPLATE_VERSION	Unable to load - DE_LABEL Object version is different.		
IDS_DE_LINE_TEMPLATE_VERSION	Unable to load - DE_LINE Object version is different.		
IDS_DE_LIST_FLD_TEMPLATE_VERSION	Unable to load -		

Ffenics Error Messages

	DE_LIST_FLD Object version is different.		
IDS_DE_POINT_VERSION	Unable to load - DE_POINT Object version is different.		
IDS_DE_RADIO_FLD_TEMPLATE_VERSION	Unable to load - DE_RADIO_FLD Object version is different.		
IDS_DE_RECORD_TEMPLATE_VERSION	Unable to load - DE_RECORD Object version is different.		
IDS_DE_SPIN_TEMPLATE_VERSION	Unable to load - DE_SPIN Object version is different.		
IDS_DE_EDIT_FLD_TEMPLATE_VERSION	Unable to load - DE_EDIT_FLD Object version is different.		
IDS_DE_OBJECT_VERSION	Unable to load - DE_OBJECT Object version is different.		
IDS_DE_APP_VERSION_ERROR	Unable to open application - wrong database version.		

QBF Errors

Label	Text	Parameters	Comments
IDS_ERR_NOSAVE_FILTERING	Records cannot be entered, modified or deleted while setting selection criteria.		
IDS_ERR_NOSAVE_SORTING	Records cannot be entered, modified or deleted while setting a sort order.		

Object Name Error

Label	Text	Parameters	Comments
IDS_OBJ_NAME_ERR_TITLE	Name Definition Error		
IDS_OBJ_NAME_ERR_TEXT	Object Name can only have :		

Ffenics Error Messages

	Alphabetic, Numeric, Underscore or Space characters.		
--	---	--	--

ARDL Errors

Note: ARDL –Active Relational or Direct Lookup- is a mechanism used to bypass the normal data model. Currently it is only used by MultiBox objects.

Label	Text	Parameters	Comments
IDS_LOOKUP_ERR_UNKNOWN_BOUND	You must specify a bound Column in a MultiBox Field.		
IDS_LOOKUP_ERR_UNABLE_OVERRIDE	To set override, the Column must be first in the list, bound, and visible.		
IDS_LOOKUP_ERR_TOO_MANY_ITEMS	Too many related items to be shown; only first %s will be shown.	Number of fields to be shown	Number of fields in related from is greater than the maximum number of columns a MultiBox can show.
IDS_LOOKUP_ERR_CANT_BIND	Can't bind yes/no or choice fields in MultiBox		